

Golden Eagle Nest Site Model

Predicted Relative Nest Site Density (RND)

California Foothills & California Central Valley

0 35 70 140 Miles

0 50 100 200 Kilometers




— State Boundaries

— Highways


— Major Rivers

— Waterbodies

RND



Produced by the U.S. Fish and Wildlife Service,
Migratory Bird Program, Lakewood, CO (August 2019)



Golden Eagle Nest Site Model

Predicted Area-adjusted Frequency (AAF) of Nest Sites
California Foothills & California Central Valley

0 35 70 140 Miles

0 50 100 200 Kilometers



— State Boundaries

— Highways

Waterbodies


Major Rivers

AAF (Smoothed)

High

Low

Produced by the U.S. Fish and Wildlife Service,
Migratory Bird Program, Lakewood, CO (August 2019)



Golden Eagle Nest Site Model

Predicted AAF of Nest Sites (Classified)

California Foothills & California Central Valley

0 35 70 140
Miles

0 50 100 200
Kilometers



— State Boundaries

— Highways

Waterbodies

Major Rivers

AAF Classes

very high

high

moderate high


neutral

moderate low

low

very low

Produced by the U.S. Fish and Wildlife Service,
Migratory Bird Program, Lakewood, CO (August 2019)



Golden Eagle Nest Site Model

Model Region and Modeling Areas

California Foothills & California Central Valley

0 35 70 140 Miles

0 50 100 200 Kilometers



— State Boundaries

— Highways

— Major Rivers


— Waterbodies

□ Model Region

▨ Modeling Area

□ Projection Region

Produced by the U.S. Fish and Wildlife Service,
Migratory Bird Program, Lakewood, CO (August 2019)



Golden Eagle Nest Site Model

Model Subregions

California Foothills & California Central Valley

0 35 70 140 Miles

0 50 100 200 Kilometers



— State Boundaries

— Highways

— Major Rivers

— Waterbodies

□ Model Region

□ Model Subregion

Produced by the U.S. Fish and Wildlife Service,
Migratory Bird Program, Lakewood, CO (August 2019)