1989

Waterfowl Production Surveys

Units 1-3

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/15/89 Unit # 1 Transect # 65

FIRST VISIT


Species Mallard
Nest # 203
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

7 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 500 ft

Soil Surface (check one)
- ☒ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%




COVER TYPE (circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 5/15/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

Location Sketch Authorized Rd - North Bound



Notes _____

Unit # [redacted]
Transect # [redacted]
Nest # [redacted] is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/15/89 Unit # 2 Transect # 83

FIRST VISIT


Species Ma
Nest # B16
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
21 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___

N
W E
S


Notes ___

Unit # 2
Transect # 83
Nest # 116 is located
25ft in
- [x] North
- [ ] South

of flag and
2ft 8in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ruth Sels Date 5/16/89 Unit # 3 Transect # 95

FIRST VISIT


Species Mall
Nest # 571
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

≈4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 200ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☑ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ___

SECOND VISIT-Fate

Date 5/16/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Location Sketch



Notes ___

Unit # 3
Transect # 95
Nest # 5 is located
___ ft ___ in
- ☐ North
- ☐ South

of flag and
— ft ~ in
- ☐ East
- ☐ West

of Transect line

No flag
nest is predated

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey [redacted]

Observer Ruth Date 5/16/89 Unit # 3 Transect # 87

FIRST VISIT

Species C/B teal
Nest # 506
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

2 # eggs C/B
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 1 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%

COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [x] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - 3 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___

N W E S

Notes Nest is right in ditch bank
mowed adj to water
flag is North 25' of nest
Shot one duck

Location Sketch

Unit # 3
Transect # 87
Nest # 506 is located
25 ft in [ ] North [x] South
of flag and
8 ft 1 in [ ] East [x] West
of Transect line

Transect 113

15'

ditch

52 C/B

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sola Date 5/16/89 Unit # 3 Transect # 89

FIRST VISIT

Species Pintail
Nest # 508 + ~~507~~?
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

10 # eggs
10 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[x]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate


Date 7/19/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Notes (another nest scrape)
was found by patrol approx exactly
21 ft S of marked nest nicked area
on nest transect with

Location Sketch



Unit # 3
Transect # 89
Nest #~~507~~ 508 is located
25 ft in [x] North [ ] South of flag and
2 ft 8 in [x] East [ ] West of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ruth S Date 5/16/89 Unit # 3 Transect # 89

FIRST VISIT

Species Mal
Nest # 507
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

3 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [x] Hatch
  - 7 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___




Notes totally concealed from above

Unit # 3
Transect # 89
Nest # 507 is located
25 ft in
- [ ] North
- [x] South

of flag and
9 ft 11 in
- [x] East
- [ ] West

of Transect line

Location Sketch



No down or shell found - I've seen the third

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Date 5/16/89 Unit # 3 Transect # 87

FIRST VISIT

Species Mal
Nest # 505
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
8 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 35 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%

COVER TYPE (circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[x]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 10/13/89


(check one)
- [x] Hatch
  - 9 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N W E S

Notes _____

Location Sketch

Unit # 3
Transect # 87
Nest # 505 is located
25 ft ~~in~~ [x] North [ ] South
of flag and
3 ft 3 in [x] East [ ] West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ruh Sch Date 5/16/89 Unit # 3 Transect # 97

FIRST VISIT

Species Mal
Nest # 572
Status (check one)
- ☑ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

5 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☑ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☑ Gx Grass species
- ☐ MoF Sweetclover
- ☑ Wx Weed species
- ☐ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ___

SECOND VISIT-Fate

Date 6/12/89

(check one)
- ☑ Hatch
  - 7 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Notes ___

Location Sketch

Unit # 3
Transect # 97
Nest # 572 is located
25 ft — in
- ☑ North
- ☐ South

of flag and
5 ft 0 in
- ☑ East
- ☐ West

of Transect line

* Check Flag for info



Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer M. G. Date 5/16/87 Unit # 3 Transect # 91

FIRST VISIT


Species Mallard
Nest # 207
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
17 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 400ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/13/87

(check one)
- [x] Hatch
  - 7 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes nest bowl was 8.3" to middle of nest

Location Sketch

Unit # 3
Transect # 91
Nest # 207 is located
25 ft 0 in
- [x] North
- [ ] South

of flag and
8 ft 3 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/16/89 Unit # 3 Transect # 93

FIRST VISIT

Species ~~Shoveler~~ (probably) Gadwall ?
Nest # 209
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%







COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [x] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [ ] Hatch
  - 0 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Location Sketch



Notes _____

Unit # 3
Transect # 93
Nest # 209 is located
25 ft in
- [ ] North
- [x] South

of flag and
4 ft 6 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer N. Gilbert Date 5/16/89 Unit # 3 Transect # 93

FIRST VISIT


Species Mallard
Nest # 208
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
8 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 150ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [ ] Hatch
  - 8 # egg hatch
  - 1 # egg remain → infertile
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes _____

Unit # 3
Transect # 93
Nest # 208 is located
25 ft in
- [ ] North
- [x] South

of flag and
3 ft 6 in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/16/89 Unit # 3 Transect # 91

FIRST VISIT


Species Mallard
Nest # 206
Status (check one)
- ☑ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

9 # eggs
21 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 200ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)

- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- 50% ☑ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- 50% ☑ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate


Date 6/13/89

(check one)
- ☐ Hatch
  - 9 # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

Notes hen held tight

Unit # 3
Transect # 91
Nest # 206 is located
25 ft 0 in ☑ North ☐ South of flag and
2 ft 6 in ☑ East ☐ West of Transect line

Location Sketch



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

3

Observer M. Gilbert Date 5/17/89 Unit # 93 Transect # 101

FIRST VISIT


Species Gadwall
Nest # 215
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
5 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 300 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes hen held tight


Unit # 93
Transect # 101
Nest # 215 is located
25 ft in
- [ ] North
- [x] South

of flag and
8 ft 0 in
- [ ] East
- [x] West

of Transect line

Had to crawl to center pool of bowl shaped to 8' 2".

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 5/17/89 Unit # 3 Transect # 103

FIRST VISIT

Species Pintail
Nest # 523
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 150 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [x] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/14/89


(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [x] Coyote alligator some fabric from side
  - [ ] Unknown
  - [ ] Other ___



Notes ___

Location Sketch

Unit # 3
Transect # 103
Nest # 523 is located
25 ft in [x] North [x] South
of flag and
0 ft 7 in [ ] East [x] West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Schue Date 5/18/89 Unit # 3 Transect # 107

FIRST VISIT

Species B/C Teal
Nest # 525
Status (check one)
- [ ] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

1 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 6/15/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned (nest again visited)
- [ ] Flooded 1225
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch

Notes
Nest was abandoned on same day found

Unit # 3
Transect # 107
Nest # 525 is located
25 ft in [ ] North [ ] South of flag and
5 ft 3 in [x] East [ ] West of Transect line

75yds

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/13/89 Unit # 3 Transect # 93

FIRST VISIT


Species Mallard
Nest # 209
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

? guess 5 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 200 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☑ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- ☑ Hatch
  - 5 ? # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in
- ☐ North
- ☐ South

of flag and
___ ft ___ in
- ☐ East
- ☐ West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 6/13/89 Unit # 3 Transect # 105

FIRST VISIT


Species Mal
Nest # 907
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

? # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☑ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☑ Other Scirpus

SECOND VISIT-Fate

Date 6/13/89

(check one)
- ☐ Hatch
  - ? # egg hatch
  - ? # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Location Sketch



Notes
Found predated
no idea on # eggs

Unit # ___
Transect # ___
Nest # ___ is located
~~ft~~ ~~in~~ ☐ North w/o flag
☐ South
of flag and
6 ft ~~2 in~~ ☑ East
☐ West
of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rick Sela Date 6/13/89 Unit # 3 Transect # 105

FIRST VISIT

Species Mal
Nest # 204
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

9 # eggs
hatch Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 30 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	___

SECOND VISIT-Fate

Date 6/13/89

(check one)
- ☑ Hatch
  - 9 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___

N
W E
S

Notes often brushed my leg when flushing
9 hatched, 5 just left nest
out of egg looks like
all wild here

Location Sketch

Unit # 3
Transect # 105
Nest # ___ is located
ft in ☑ North ☐ South of flag and
0 ft 8 in ☐ East ☐ West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Sch Date 6/13/89 Unit # 3 Transect # 89

FIRST VISIT


Species Mal
Nest # 904
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
10 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate


Date 8/19/89

(check one)
- [x] Hatch
  - 7 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___

Notes ___

Unit # 3
Transect # 89
Nest # 904 is located
25 ft in [ ] North [x] South
of flag and
2 ft 9 in [ ] East [x] West
of Transect line

Location Sketch



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Judy Silva Date 6/13/89 Unit # 3 Transect # 105

FIRST VISIT

Species Mal
Nest # 905
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
12 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%

COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [x] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___


SECOND VISIT-Fate

Date 7/19/89

(check one)
- [x] Hatch
  - 6 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___

N
W E
S

Location Sketch



Notes ___

Unit # 3
Transect # 105
Nest # 905 is located
25 ft ___ in
- [ ] North
- [x] South

of flag and
7 ft 9 in
- [ ] East
- [ ] West

of Transect line

Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ruth Sidy Date 6/13/89 Unit # 3 Transect # 105

FIRST VISIT

Species Mal
Nest # 908
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
18 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[x]	MoF	Sweetclover
[ ]	Wx	Weed species
[1]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date ~~7/5~~ 7/19/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [x] Unknown
  - [ ] Other _____

N
W E
S


Location Sketch

Notes _____

Unit # 3
Transect # 105
Nest # 908 is located
25 ft in
- [ ] North
- [x] South

of flag and
1 ft 1 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/13/89 Unit # 3 Transect # 93

FIRST VISIT


Species Mallard
Nest # 705
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
4 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [x] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/19/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [x] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes _____

Unit # 3
Transect # 93
Nest # 705 is located
25 ft in
- [ ] North
- [x] South

of flag and
3 ft in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/13/89 Unit # 3 Transect # 85

FIRST VISIT


Species Mallard
Nest # 704
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[x]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Location Sketch

Unit # 3
Transect # 85
Nest # 704 is located
25 ft 0 in
- [x] North
- [x] South

of flag and
5 ft in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/13/89 Unit # 3 Transect # 93

FIRST VISIT


Species B/CT
Nest # 706
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
8 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%




COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[x]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date 7/19/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # 3
Transect # 93
Nest # 706 is located
25 ft in
- [ ] North
- [x] South

of flag and
4 ft 8 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ruth Sch Date 6/14/89 Unit # 3 Transect # 105

FIRST VISIT


Species Gadwall?
Nest # 918
Status (check one)
- ☐ Active
- ☐ Hatched
- ☑ Abandoned
- ☐ Destroyed

1 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- ☑ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____


SECOND VISIT-Fate

Date 6/14/89

(check one)
- ☐ Hatch
  - # egg hatch
  - # egg remain
- ☑ Abandoned 1 egg very cracked/soaked
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S

Location Sketch



Notes
pp very wet
pond - no dam

Unit # 3
Transect # 105
Nest # 918 is located
ft in ☐ North ☐ South
of flag and
0 ft 5 in ☑ East ☐ West
of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

Waterfowl Production Surveys

Unit 4

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/16/89 Unit # 4 Transect # 109

FIRST VISIT

Species Mallard
Nest # 210
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
20 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla (Cattail)
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

unknown nest not found


Date 6/13/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Not Found

Notes could not find-cattails heavy 6/13/89 I should have marked with red tape!

Location Sketch



Unit # 4
Transect # 109
Nest # 210 is located
25 ft in
- [ ] North
- [x] South

of flag and
1 ft 6 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 5/16/89 Unit # 4 Transect # 95

FIRST VISIT


Species Mal
Nest # 510
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
12 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/13/89


(check one)
- [x] Hatch
  - 6 # egg hatch
  - 3 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___



Notes Define membranes of success Both 2nd nest was abandoned afterward. 3 walked & hatched with predatory injuries legs

Location Sketch

Unit # 3
Transect # 95
Nest # 510 is located
8 ft in ☐ North ☐ South of flag and
8 ft 3 in ☐ East ☑ West of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rich Sela Date 5/16/89 Unit # 4 Transect # 113

FIRST VISIT

Species Mal
Nest # 513
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

2 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date 6/13/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes
Abandoned
2 eggs remain

Unit # 4
Transect # 113
Nest # 513 is located
25 ft ~~in~~
- [ ] North
- [ ] South

of flag and
2 ft 10 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 5/16/89 Unit # 4 Transect # 113

FIRST VISIT


Species Mall
Nest # 514
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

3 # eggs
21 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 20 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [X] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [X] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [ ] Hatch
  - ? # egg hatch
  - 3 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___



Location Sketch



Notes ___

Unit # 4
Transect # 113
Nest # 514 is located
25 ft ~~in~~
- [x] North
- [ ] South

of flag and
3 ft 4 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/16/89 Unit # 4 Transect # 109

FIRST VISIT


Species Mallard
Nest # 211
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
21 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 5 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla (Cattail)
- [x] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes Ribbon tied on cattail to mark flag.

Unit # 4
Transect # 109
Nest # 209 is located
25ft in
- [ ] North
- [x] South

of flag and
6 ft 10 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd T. Lovin Date 5/17/18 Unit # 4 Transect # 119

FIRST VISIT

Species Mallard
Nest # 310
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
12 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

MW
Date 6/14/18

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Location Sketch

Notes
MW Eggs Where Hidden in the Bottom of the nest

Unit # 4
Transect # 119
Nest # 310 is located
___ ft ___ in
- [ ] North
- [ ] South

of flag and
6 ft 5 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/17/89 Unit # 4 Transect # 115

FIRST VISIT


Species Mallard
Nest # 308
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
4 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [X] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [X] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [X] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/15/89

(check one)
- [X] Hatch
  - 5 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Unit # 4
Transect # 115
Nest # 308 is located
25 ft in
- [X] North
- [ ] South

of flag and
6 ft 0 in
- [X] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/17/89 Unit # 4 Transect # 115

FIRST VISIT


Species Unknown
Nest # 309
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☒ Destroyed

47+ # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 75 ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)

- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate


Date 5/17/89

(check one)

- ☒ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☒ Destroyed
  - ☒ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes Nest somewhat disturbed but looked like Avian damage. Did not have tape so left a flag

Unit # 4
Transect # 115
Nest # 309 is located
ft in ☐ North ☐ South
of flag and
1 ft in ☒ East ☐ West
of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/13/89 Unit # 4 Transect # 109

FIRST VISIT


Species Mallard
Nest # 708
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
8 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 15 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla (Cattail)
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/19/89

(check one)
- [x] Hatch
  - 9/11 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes flag marked by red tape on cattail

Location Sketch

Unit # 4
Transect # 109
Nest # 708 is located
25 ft in
- [ ] North
- [x] South

of flag and
8 ft 8 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Mal Date 6/13/89 Unit # 4 Transect # 109

FIRST VISIT

Species Mal
Nest # 909
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
8 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/19/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___




Notes
Meadow 8' 3" to center of board nest is just in 67 paces to nest

Location Sketch

Unit # 4
Transect # 109
Nest # 909 is located
25 ft in
- [x] North
- [ ] South

of flag and
8 ft 3 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 6 13 89 Unit # 4 Transect # 113

FIRST VISIT

Species Mal
Nest # 910
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/19/89

(check one)
- [x] Hatch
  - all # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___




Notes ___

Location Sketch

Unit # 4
Transect # 113
Nest # 910 is located
25 ft in
- [ ] North
- [x] South

of flag and
8 ft 2 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Mark Wing Date 6 14 89 Unit # 4 Transect # 123

FIRST VISIT


Species ~~Mallard~~ Gadwall
Nest # 804
Status (check one) Rus ↑
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
12 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 500 ft

Soil Surface (check one)
- [X] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [X] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [X] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other Whitetop

SECOND VISIT-Fate

Date 7 1 89

(check one)
- [X] Hatch
  - 8 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___




Notes Nest is under a Greasewood Plant

Location Sketch

Unit # 4
Transect # 123
Nest # 25 is located
ft in
- [X] North
- [ ] South

of flag and
2 ft 6 in
- [X] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/15/89 Unit # 4 Transect # 115

FIRST VISIT

Species Pintail
Nest # 712
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
18 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 500 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/19/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [x] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes had to piratically lift hen off of nest - reluctant to flush - nest almost right on transect.

Unit # 4
Transect # 115
Nest # 712 is located
25 ft in
- [x] North
- [ ] South

of flag and
2 ft 3 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rick Sah Date 6/15/89 Unit # 4 Transect # 109

FIRST VISIT

Species mal
Nest # 919
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

8 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%






COVER TYPE (circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date 6/15/89


(check one)
- ☐ Hatch
- ≥ 8 # egg·hatch
- 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Notes _____

Location Sketch

Unit # 4
Transect # 109
Nest # _____ is located
ft in ☐ North ☐ South
of flag and
5 ft 10 in ☐ East ☐ West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

Waterfowl Production Surveys

Units 6-7

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/15/89 Unit # 6 Transect # 31

FIRST VISIT


Species Mallard
Nest # 303
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 3 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [X] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [X] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [X] Wx ~~Weed species~~ Whitetop
- [X] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [X] Hatch
  - 10 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes - Nest under Greasewood plant
- Hen appears to be laying eggs
- Nest on slope of small dike or road

Location Sketch

Unit # 6
Transect # 31
Nest # 303 is located
25 ft in
- [ ] North
- [X] South

of flag and
5 ft 6 in
- [ ] East
- [X] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Levin Date 5/15/84 Unit # 6 Transect # 29

FIRST VISIT

Species Mallard
Nest # 301
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

(White top)

8 # eggs
20 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [X] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [X] Wx Weed species
- [X] Jba (Baltic rush)
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/1/84

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [X] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [X] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___


Notes Eggs being incubated at approximately 20 days

-Nest 25' North, 3'9" West of flag

- Flag 30 yds. Past greasewood patch

Unit # 6
Transect # 29
Nest # 301 is located
25 ft ~~in~~ [X] North [ ] South of flag and
3 ft 9 in [ ] East [X] West of Transect line

Location Sketch



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/15/89 Unit # 6 Transect # 29

FIRST VISIT

Species Mallard
Nest # 302
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%






COVER TYPE (circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☒	Wx	Weed species (whitetop)
☒	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate


Date 5/15/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ____

Notes - Lots of down around Nest
- No flag Set
- Nest just North (20 yds.) of greasewood patch

Unit # 6
Transect # 29
Nest # 302 is located
ft in ☐ North ☐ South
of flag and
3 ft 6 in ☐ East ☒ West
of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Sieh Date 6/12/89 Unit # 6 Transect # 41

FIRST VISIT


Species Mal
Nest # 901
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 200 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/1989

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned one + nibbled 4 eggs
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___


Notes In burned/grazed area not much residual cover

Location Sketch

Unit # 6
Transect # 41
Nest # 901 is located
25 ft — in
- [x] North
- [ ] South

of flag and
4 ft 0 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rich S Date 5/15/89 Unit # 7 Transect # 55

FIRST VISIT

Species Shov
Nest # 503
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
2 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 60 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Notes Signs on Pipeline West of Unit 1

Location Sketch



Unit # 7
Transect # 55
Nest # 503 is located
25ft in
- [x] North
- [ ] South

of flag and
3 ft 6 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/15/89 Unit # 7 Transect # 57

FIRST VISIT


Species Mallard
Nest # 204
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
0 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 500ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [ ] Hatch
  - 8 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Notes _____

Location Sketch

Unit # 7
Transect # 57
Nest # 204 is located
25ft in
- [x] North
- [ ] South

of flag and
1 ft 0 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/15/89 Unit # 7 Transect # 67

FIRST VISIT


Species B/c Teal
Nest # 201
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
6 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 250ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes flushed right at feet


Unit # 7
Transect # 67
Nest # 201 is located
25 ft in
- [x] North
- [x] South

of flag and
0 ft 5 in
- [x] East
- [ ] West

of Transect line

Location Sketch





Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/15/89 Unit # 7 Transect # 65

FIRST VISIT


Species Mallard
Nest # 202
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 150 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes flushed at feet

Unit # 7
Transect # 65
Nest # 202 is located
25 ft in
- [x] North
- [ ] South

of flag and
6 ft 0 in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/15/89 Unit # 7 Transect # 57

FIRST VISIT


Species Mallard
Nest # 205
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
12 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [x] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Location Sketch

Unit # 7
Transect # 57
Nest # _____ is located
25 ft 6 in
- [x] North
- [ ] South

of flag and
4 ft 6 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rich S Date 5/15/89 Unit # 7 Transect # 55

FIRST VISIT

Species Mal
Nest # 504
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

~~5~~ 4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 8 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ___

SECOND VISIT-Fate

Date 5/15/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Location Sketch



Notes ___

Unit # 7
Transect # 55
Nest # 504 is located
___ ft ___ in
- ☑ North
- ☐ South

of flag and
___ ft ___ in
- ☐ East
- ☐ West

of Transect line

no flag

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ruth Date 5/15/89 Unit # 7 Transect # 53

FIRST VISIT

Species mal
Nest # 502
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 15 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[x]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 6/12 89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Notes Nest also marked with ribbon at flag because of heavy cattails


6/12 Jaffe destroyed
Nest abandoned

Location Sketch

Unit # 7
Transect # 53
Nest # 502 is located
25 ft — in
- [x] North
- [x] South

of flag and
4 ft 11 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 5/15/89 Unit # 7 Transect # 49

FIRST VISIT


Species Shov
Nest # 501
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

2 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/2/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___

N
W E
S

Notes 5 yds / South of grassy


all eggs gone
Hen looks lat-
Raven/cowbird disturbed

Location Sketch

Unit # 7
Transect # 49
Nest # 501 is located
25ft in
- [x] North
- [ ] South

of flag and
6 ft 5 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

401

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 5/15/89 Unit # 7 Transect # 71

FIRST VISIT


Species Pintail
Nest # 401
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
12th Inc. stage day
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)


- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush 100%
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89


(check one)
- [x] Hatch
  - 7 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes Small island built above water 3" deep in 100% Baltic Rush



Location Sketch

Unit # 7
Transect # 71
Nest # 401 is located
25 ft 0 in [x] North [ ] South
of flag and
0 ft 3 in [x] East [ ] West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

402

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 5/15/89 Unit # 7 Transect # 71

FIRST VISIT

Species C. teal (Probably Drake flushed w/ hen)
Nest # 402
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed


5 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush (100%)
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



SECOND VISIT-Fate

Date 6/12/89

(check one)
- [x] Hatch
  - 5 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

no down to collect


Notes 2" deep flooded w/ 100% Baltic Rush with a few white top plants interspersed

Unit # 7
Transect # 71
Nest # 402 is located
25 ft in
- [x] North
- [ ] South

of flag and
1 ft 0 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

403

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 5/15/89 Unit # 7 Transect # 61

FIRST VISIT


Species Mallard
Nest # 403
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
3 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 70 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE (circle dominant cover)

[ ]	Sx	Willow
[x] 10%	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[x] 90%	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Unit 1


Notes At the edge of cattail stand / Greasewood

Unit # 7
Transect # 61
Nest # 403 is located
25 ft 0 in
- [ ] North
- [x] South

of flag and
4 ft 2 in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

404 Keep *Note | Re Check To determine if inclusive *

FIELD FORM
Waterfowl Production Survey

Observer D Gilbert Date 5/15/89 Unit # 7 Transect # 61

FIRST VISIT

Species Mallard
Nest # 404
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
2 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 4 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[X] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [X] Jba (Baltic rush)
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [X] Tla (Cattail)
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- [X] Hatch
  - 7 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes Nest is in South End of a Rush Patch Right at the edge of cattail.

I Bent 3 cattail fronds by nest.

I included this nest because 8'6" would have also been included within the nest cup

Unit # 7
Transect # 61
Nest # 404 is located
25 ft 0 in [ ] North [X] South of flag and
8 ft 3 in [ ] East [X] West of Transect line

Location Sketch



note 6/12 recheck nest center 8'8" from line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Roni Garcia Date 5/18/89 Unit # 17 Transect # 73

FIRST VISIT

Species Mar
Nest # 11
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
21 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 35 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/15/89

(check one)
- [x] Hatch
  - 7 # egg hatch
  - — # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Location Sketch

Unit # 17
Transect # 73
Nest # 11 is located
25 ft in
- [ ] North
- [x] South

of flag and
0 ft 6 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/12/89 Unit # 7 Transect # 59

FIRST VISIT


Species Mallard
Nest # 702
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

___ # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ___ ft

Soil Surface (check one)
- ☑ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☑ Unknown
  - ☐ Other ___


Notes _____


Unit # 7
Transect # 59
Nest # ___ is located
___ ft ___ in
- ☐ North
- ☐ South

of flag and
1 ft 0 in
- ☑ East
- ☐ West

of Transect line

Location Sketch





Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 6/12/89 Unit # 7 Transect # 53

FIRST VISIT

Species Mal
Nest # 902
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

? # eggs
Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- ☑ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%







COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☐	Jba	Baltic rush
☑	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date 6/12/89

(check one)
- ☐ Hatch
  - ≅ 8 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes _____

Unit # 7
Transect # 53
Nest # 902 is located
ft ~~in~~ ☐ North ☐ South
of flag and
0 ft 6 in ☐ East ☑ West
of Transect line

no flag found [illegible]

just Circles west of line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 6/12/89 Unit # 7 Transect # 63

FIRST VISIT


Species Gadwall
Nest # 454
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
2-3 dafffc. stage
0 # parasitic eggs

Dist. to standing H_2O >200 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[X] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- 100% [X] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89
(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [X] Destroyed
  - [ ] Raven/magpie
  - [X] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes In Baltic Rush w/ 3 sqaw 8 feet To the North

Unit # 7
Transect # 63
Nest # 454 is located
25 ft 0 in
- [X] North
- [ ] South

of flag and
2 ft in
- [X] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Schmal Date 6/12/89 Unit # 7 Transect # 55

FIRST VISIT

Species Gwl
Nest # 903
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

10 # eggs
10 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date 7/10/89

(check one)
- [x] Hatch
  - 10 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes
Red winged juveniles adjacent to cattail

Unit # 7
Transect # 55
Nest # 902 is located
25 ft in
- [ ] North
- [x] South

of flag and
8 ft 1 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer D Gilbert Date 6/12/89 Unit # 7 Transect # 63

FIRST VISIT


Species Mallard 99% sure
Nest # 453
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☒ Destroyed

5+ # eggs
__ Inc. stage
__ # parasitic eggs

Dist. to standing H_2O > 100ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☒ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☒ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate


Date __/__/__

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☒ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☒ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S

Notes 99% sure it was a mallard
- looks like a raccoon hit-
very little down probably just getting started

Location Sketch



Unit # 7
Transect # 6
Nest # 45 is located
ft in ☐ North ☐ South
of flag and
ft in ☐ East ☐ West
of Transect line

not Flagged
PA above

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/12/89 Unit # 7 Transect # 59

FIRST VISIT


Species Mallard
Nest # 701
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

0 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/12/89


(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☑ Unknown
  - ☐ Other _____

Notes heavy amounts of down but no egg shell

Unit # 7
Transect # 59
Nest # ____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Location Sketch





Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

Waterfowl Production Surveys

Units 8-11

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/16/89 Unit # 8 Transect # 77

FIRST VISIT


Species BWT
Nest # 305
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

2 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 12 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

DG

Date 6/12/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned and the two eggs were broken
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Location Sketch

Notes _____

Unit # 8
Transect # ~~305~~ 77
Nest # 305 is located
ft in
- [x] North
- [ ] South

of flag and
4 ft 10 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lown Date 5/16/89 Unit # 8 Transect # 77

FIRST VISIT

Species Mallard?
Nest # 306
Status (check one)
- ☐ Active
- ☒ Hatched
- ☐ Abandoned
- ☐ Destroyed

~~5~~ ? # eggs P
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ___ ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☒	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date 5/16/89


(check one)
- ☒ Hatch P
- ~~5~~ ? # egg hatch
- ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ____



Location Sketch

Notes No Flag Set

Unit # 8
Transect # 77
Nest # 306 is located
ft in ☐ North ☐ South
of flag and
4 ft in ☐ East ☒ West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/16/89 Unit # 8 Transect # 73

FIRST VISIT


Species Gadwall ? Mallard
Nest # 304
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
20 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 75 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 6/12/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # 8
Transect # 73
Nest # 304 is located
25 ft in
- [x] North
- [ ] South

of flag and
2 ft 5" in
- [ ] East
- [x] West

of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/16/89 Unit # 8 Transect # 81

FIRST VISIT


Species Mallard
Nest # 307
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

12 # eggs
20 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 1 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 12 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Unit # 8
Transect # 81
Nest # 307 is located
25 ft ___ in
- [x] North
- [ ] South

of flag and
3 ft 4 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 6/12/89 Unit # 8 Transect # 77

FIRST VISIT

99% sure


Species Teal
Nest # 457
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☒ Destroyed

7 # eggs
~~6~~ Inc. stage
— # parasitic eggs

Dist. to standing H_2O >300 ft

Soil Surface (check one)
- ☒ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/12/89


(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

Notes Predated by Raven - couldn't tell number of Eggs

Not Flagged

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Sik Date 5/17/89 Unit # 9 Transect # 89

FIRST VISIT

Species Mal
Nest # 515
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
__ Inc. stage
__ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [ ] Hatch
  - __ # egg hatch
  - __ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [x] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes

Duck trapped
Dawn Tabs

Location Sketch

Unit # 9
Transect # 89
Nest # 515 is located
25 ft in [x] North [ ] South
of flag and
6 ft — in [x] East [ ] West
of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD-FORM
Waterfowl Production Survey

Observer Mark Sah Date 6/14/89 Unit # 9 Transect # 87

FIRST VISIT

Species Pintail
Nest # 911
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
14 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [x] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [x] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # 9
Transect # 87
Nest # 911 is located
25 ft in
- [x] North
- [ ] South

of flag and
4 ft 2 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 6/14/16 Unit # 9 Transect # 87

FIRST VISIT

Species Mal
Nest # 912
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

~7 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☑	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	___


SECOND VISIT-Fate

Date 7/15/89

(check one)
- ☑ Hatch
  - 7 # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Location Sketch



Notes ___

Unit # 9
Transect # 87
Nest # 912 is located
ft in ☐ North
☐ South
of flag and
0 ft in ☑ East
☐ West
of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/14/89 Unit # 9 Transect # 85

FIRST VISIT

Species Gadwall
Nest # 710
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
1 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[x]	Sve	Greasewood
[x]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 7 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes Nest is under Rabbit Brush - 6'6" E.

Location Sketch

Unit # 9
Transect # 85
Nest # 710 is located
25 ft in
- [ ] North
- [x] South

of flag and
6 ft 6 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/14/89 Unit # 9 Transect # 91

FIRST VISIT

Species Gadwall
Nest # 711
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
12 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [x] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - 2 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes _____


Location Sketch



Unit # 9
Transect # 91
Nest # 711 is located
25 ft in
- [ ] North
- [x] South

of flag and
ft 4 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer ~~Rick Selvad~~ Date 6/14/89 Unit # 9 Transect # 89

FIRST VISIT

Species BWT/CT
Nest # 913
Status (check one)
- ☐ Active
- ☐ Hatched
- ☑ Abandoned
- ☐ Destroyed

actual ~~2~~ 1 # eggs
___ Inc. stage
3 # parasitic eggs Redhead
Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☑ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes
Has redhead parasitism
Cause for to abandoned

Unit # 9
Transect # 89
Nest # 913 is located
ft in ☐ North ☐ ~~South~~ No flag
of flag and
0 ft 3 in ☑ ~~East~~ ☐ West
of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

Start with 709

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/14/89 Unit # 9 Transect # 85

FIRST VISIT

Species B/CT
Nest # 709
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☑ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ☑ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Notes 3 eggs still intact but scattered - one broken into - nest damaged

Location Sketch

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

start with nest #217 on 5/18

Observer M. Gilbert Date 5/18/89 Unit # 10 Transect # 113

FIRST VISIT

Species Pintail
Nest # 217
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
FFFS Inc. stage
~~FFFS~~ 0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [x] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/15/89

(check one)
- [x] Hatch
  - 7 # egg hatch
  - 2 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Notes transect 113 One marker down - pole standing No sign on Bowen drain - 2nd S. of V.10 Bord. nest ~ 20 yds W. of Bowen drain
not incubating yet
hatching 6/15 - 7 chicks out - 2 to hatch left

Location Sketch

Unit # 10
Transect # 113
Nest # 217 is located
25 ft in
- [ ] North
- [x] South

of flag and
2 ft 7 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Winy Date 6/14/89 Unit # 10 Transect # 121

FIRST VISIT

Species Mall.
Nest # 805
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
21 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # 10
Transect # 121
Nest # ____ is located
25 ft in
- [x] North
- [ ] South

of flag and
0 ft 11 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

start with 711

FIELD FORM
Waterfowl Production Survey

Observer J Gilbert Date 6/15/89 Unit # 10 Transect # 117

FIRST VISIT


Species Mallard
Nest # 111
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

0 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/15/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes Eggs completely missing

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Wing Date 6/13/84 Unit # ~~80~~ 11 Transect # 131 11

FIRST VISIT

Species Gadwall
Nest # 802
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
21 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ~~50~~ 25 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [X] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [X] Gx Grass species
- [ ] MoF ~~Sweetclover~~
- [ ] Wx Weed species
- [X] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/19/84

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [X] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [X] Other cattle



Location Sketch



Notes
Little Stream of water
~~50~~ 75' North of West

Unit # 11
Transect # 131
Nest # ~~200~~ is located
25 ft in [X] North [ ] South
of flag and
6 ft 10 in [ ] East [X] West
of Transect line ~~15~~ 45

Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Winz Date 6/13/89 Unit # 11 Transect # 135

FIRST VISIT

Species Gadwall
Nest # 803
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
21 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [X] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[X]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date 7/19/89

(check one)
- [X] Hatch
  - all # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # 803 is located
25 ft in [X] North [ ] South
of flag and
7 ft / in [X] East [ ] West
of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

Waterfowl Production Surveys

Units 14-16

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/12/89 Unit # 14 Transect # 31

FIRST VISIT


Species Ma
Nest # 602
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

1 # eggs
laying Inc. stage
__ # parasitic eggs

Dist. to standing H_2O 300ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Location Sketch

Unit # 14
Transect # 31
Nest # 602 is located
25 ft - in
- [ ] North
- [x] South

of flag and
4 ft 9 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron G. Date 5/15/89 Unit # 15 Transect # 47

FIRST VISIT


Species Cad
Nest # 2
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

10 # eggs
4 Inc. stage 4days
6 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [x] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 6/14/89

(check one) ?
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [x] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Nest 6

Notes: ~~Nest is full of maggots~~ ~~6 shells but there also~~ ~~egg~~ is tipped and up to one side

Eggs were in Nest busted, but not predated, yolk was hardcrown in ½ shells some with maggots

Unit # 15
Transect # 47
Nest # 2 is located
25 ft in
- [ ] North
- [x] South

of flag and
5 ft 0 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Co Date 5/15/89 Unit # 15 Transect # 41

FIRST VISIT

Species Ma
Nest # 1
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
19 Inc. stage 19 days
0 # parasitic eggs

Dist. to standing H_2O 300ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [x] Other white top

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [x] Hatch
  - 7 # egg hatch
  - 6 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other

N
W E
S


Notes obtain Center line by looking No

Location Sketch

Unit # 15
Transect # 41
Nest # 1 is located
25 ft in
- [ ] North
- [x] South

of flag and
8 ft in
- [x] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Jody Smith Date 5/16/89 Unit # 15 Transect # 37

FIRST VISIT


Species ~~Shoveler~~ ~~Mallard~~ BWT 6-13-89
Nest # 104
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
fresh Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ~~60~~ 26 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

R.6.
Date 6/13/89
(check one)
- [ ] Hatch
  - ___ # egg hatch
  - 5 # egg remain
- [x] Abandoned
- [ ] Flooded ?
- [x] ~~Destroyed~~
  - [x] ~~Raven/magpie~~
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ~~Spiders~~




Notes 6-13-89
~~Nest looks like abandon scrape I cannot find any down or any eggs or fragments~~

Location Sketch

Unit # 15
Transect # 37
Nest # 104 is located
25 ft in
- [x] North
- [ ] South

of flag and
7 ft 2 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron G Date 5/16/89 Unit # 15 Transect # 49

FIRST VISIT

Species Brwt
Nest # 6
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 20 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [x] Hatch
  - 4 # egg hatch
  - 2 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed (Secondary Predation)
  - [ ] Raven/magpie
  - [ ] Skunk
  - [x] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes * Nest is full of Membrane + ½ shells, but there's also a definite predated egg and shell is ripped out to one side

Location Sketch

Unit # 15
Transect # 49
Nest # 6 is located
25 ft in
- [x] North
- [x] South

of flag and
21 ft 8 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Mark Wing Date 6/12/89 Unit # 15 Transect # 51

FIRST VISIT


Species Mallard
Nest # 801
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☒ Destroyed

6 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ___ ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/12/89


(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☒ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☒ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Notes _____

Location Sketch

Unit # 15
Transect # 51
Nest # ___ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer P. Garcia Date 6/13/89 Unit # 15 Transect # 43

FIRST VISIT


Species Gad
Nest # ~~606~~
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
fresh Inc. stage
— # parasitic eggs

Dist. to standing H_2O 200 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes Nest is in Baltic Rush Between patches of Greasewood

Location Sketch

Unit # 15
Transect # 43
Nest # 606 is located
25 ft 0 in
- [ ] North
- [x] South

of flag and
0 ft 0 in
- [x] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer R. Garcia Date 6/13/89 Unit # 15 Transect # 41

FIRST VISIT

Species Gad
Nest # 605
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
4 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 20ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [x] Other Whitetop

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 91 # egg hatch
  - — # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other




Notes

Location Sketch

Unit # 15
Transect # 41
Nest # 605 is located
25ft 0 in
- [ ] North
- [x] South

of flag and
8ft 0 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/13/89 Unit # 15 Transect # 37

FIRST VISIT

Species BWT
Nest # 604
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
2 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 1 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

CY

N
W E
S


Location Sketch

Notes Nest is approx halfway between S. + Mid marker using center line sighting north

Unit # 15
Transect # 37
Nest # 604 is located
25 ft in
- [x] North
- [x] South

of flag and
4 ft 6 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/13/89 Unit # 15 Transect # 37

FIRST VISIT


Species Ruddy
Nest # 603
Status (check one)
- ☐ Active
- ☐ Hatched
- ☑ Abandoned
- ☑ Destroyed

3 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 1 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____


SECOND VISIT-Fate

Date 6/13/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - 1 # egg remain
- ☑ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ? ☑ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other maybe marten, hate them

N
W E
S

Location Sketch



Notes _____

Unit # 15
Transect # 37
Nest # 603 is located
___ ft ___ in ☐ North ☐ South of flag and
7 ft 9 in ☐ East ☑ West of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/14/89 Unit # 15 Transect # 49

FIRST VISIT

Species ~~GWT~~ BWT
Nest # 608
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
21 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 50ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] ~~Gx~~ Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [x] ~~Cx~~ Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - — # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes _____

Unit # 15
Transect # 49
Nest # 608 is located
25ft - in
- [x] North
- [ ] South

of flag and
2 ft 6 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron Gaccia Date 6/14/89 Unit # 16 Transect # 55

FIRST VISIT

Species Gad
Nest # 609
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

5 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 200ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☑	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate


Date 6/14/89


(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

Notes _____

Unit # 16
Transect # 55
Nest # 609 is located
0 ft 0 in ☐ North ☐ South
of flag and
1 ft 6 in ☑ East ☐ West
of Transect line

Location Sketch





Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/15/89 Unit # 16 Transect # 65

FIRST VISIT


Species Ma
Nest # B11
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
layng Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 60 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___


Notes

Unit # 16
Transect # 65
Nest # B11 is located 25 ft 0 in
- [ ] North
- [x] South

of flag and 0 ft 6 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/15/89 Unit # 16 Transect # 65

FIRST VISIT


Species Mq
Nest # 612
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
16 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 150 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes # Hen dumped on eggs
Smell is strong

Location Sketch

Unit # 16
Transect # 65
Nest # 612 is located
26 ft in
- [ ] North
- [x] South

of flag and
1 ft 6 in
- [x] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/15/89 Unit # 16 Transect # 65

FIRST VISIT

Species BWT
Nest # 613
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

3 # eggs + 5 predated outside bowl
4 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Predated by Raven

Notes * There are 5 predated eggs outside bowl + eggs inside are cold - hen may have abandoned after predation occurred


* Obtain Direction by looking in Southwest direction

Unit # 16
Transect # 65
Nest # 613 is located
25 ft 0 in
- [ ] North
- [x] South

of flag and
1 ft 6 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/15/89 Unit # 16 Transect # 71

FIRST VISIT

Species ~~Ra~~ P.
Nest # 614
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

3 # eggs 1 predated
22 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned Not T.R.
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Notes Nest had 1 predated egg outside bowl and 3 inside one more hatch but cold + possible abandonment

Location Sketch



Unit # 16
Transect # 71
Nest # 614 is located
ft in
- [ ] North
- [ ] South

of flag and
4 ft 3 in
- [x] East
- [x] West

of Transect line

Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

* Came back later + made form on this nest

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/15/89 Unit # 16 Transect # 69

FIRST VISIT


Species Ma
Nest # 615
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
21 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 100? ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7-18-89

(check one)
- [x] Hatch
  - all # egg hatch
  - — # egg remain
- [x] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Notes Nest has an flag + is about 8' 6" to 9' west of Centerline when sighting to North. about 3 feet W. of C. line from S. but from Nest sight you can't sight to the south


Eggs were cold when I visited Nest

Location Sketch

Unit # 16
Transect # 69
Nest # — is located
— ft — in
- [ ] North
- [ ] South

of flag and
2 ft — in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/17/89 Unit # 16 Transect # 59

FIRST VISIT

Species P.
Nest # 8
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

7 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ___ ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☑ Sve Greasewood
- ☐ Crx Rabbit brush
- ☑ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ___

SECOND VISIT-Fate

Date 5/17/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___

N
W E
S


Notes Nest is flagged with Red Ribbon at Nest

Location Sketch

Unit # 16
Transect # 59
Nest # 8 is located
— ft — in
- ☐ North
- ☐ South

of flag and
6 ft 6 in
- ☑ East
- ☐ West

of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/17/89 Unit # 16 Transect # 57

FIRST VISIT


Species Unk (Gad)
Nest # 7
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

? 4 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 600ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☑ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



COVER TYPE (circle dominant cover)
- ☐ Sx Willow
- ☑ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 5/17/89


(check one)
- ☑ Hatch
  - 3 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S

Notes flagged at Nest with Red Ribbon

Location Sketch

Unit # 16
Transect # 57
Nest # _____ is located
— ft — in ☐ North ☐ South
of flag and
2 ft 3 in ☑ East ☐ West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/18/89 Unit # 16 Transect # 65

FIRST VISIT


Species Ma
Nest # 9
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
20 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 75 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/15/89

(check one)
- [x] Hatch
  - 8 # egg hatch
  - — # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____


Notes * about 75ft from Nest was a mallard hen w/ 8 young in brood (6-15-89)

Unit # 16
Transect # 65
Nest # 9 is located
25 ft in
- [x] North
- [x] South

of flag and
7 ft 11 in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/18/89 Unit # 16 Transect # 63

FIRST VISIT


Species Ma
Nest # 8
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
20 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 200 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%



COVER TYPE (circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba (Baltic rush)
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 6/15/89

(check one) ?

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes There were 4 eggs sitting in an untouched bowl and there was no sign of any of the other 5 eggs whatsoever

Unit # 16
Transect # 63
Nest # 8 is located
25 ft in
- [x] North
- [x] South

of flag and
1 ft 4 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

Waterfowl Production Surveys

Units 17-18

FIELD FORM
Waterfowl Production Survey

Observer R. Garcia Date 5/19/89 Unit # 17 Transect # 81

FIRST VISIT


Species Ma
Nest # 13
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

visible 4? # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 2 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☑ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☑ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 5/19/89

(check one)
- ☑ Hatch
  - 4 # egg hatch
  - — # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____




Notes at S. edge of Bull Rush

Flagged at Nest w/ Centerline with Red Ribbon

Location Sketch

Unit # 17
Transect # 81
Nest # 13 is located
ft in ☐ North ☐ South
of flag and
1 ft 0 in ☑ East ☐ West
of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/19/89 Unit # 17 Transect # 83

FIRST VISIT


Species Ruddy
Nest # 12
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
1 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [x] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [x] Hatch
  - 5? # egg hatch
  - — # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Notes Nest is about 50 yds S.W. of Goose structure in bullrush about 15 ft W. of Cattail crop.


flag is near transect center line in bullrush slot

Unit # 17
Transect # 83
Nest # 12 is located
6 ft in
- [ ] North
- [ ] South

of flag and
6 ft 4 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Sah Date 5/17/89 Unit # 18 Transect # 89

FIRST VISIT

Species Mal
Nest # 517
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
2 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [x] Hatch
  - 5 # egg hatch
  - 2 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Notes

Unit # 18
Transect # 89
Nest # 517 is located
25 ft — in
- [ ] North
- [x] South

of flag and
7 ft 3 in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Sch Date 5/17/89 Unit # 18 Transect # 89

FIRST VISIT


Species MD
Nest # 516
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

7 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☒ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ___

SECOND VISIT-Fate

Date 6/14/89


(check one)
- ☑ Hatching
  - 7 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Notes ___

Location Sketch

Unit # 18
Transect # 89
Nest # 516 is located
25 ft — in ☐ North ☑ South
of flag and
8 ft 0 in ☑ East ☐ West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/17/89 Unit # 18 Transect # 101

FIRST VISIT

Species Mallard
Nest # 216
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
6 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- 50 [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- 50 [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [x] Hatch
  - # egg hatch
  - # egg remain
- [x] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Notes abandoned with 9 eggs total - two had been broken. Broke one open - developed to ≈ 12 day stage - dead embryo

Location Sketch

Unit # 18
Transect # 101
Nest # 216 is located
25 ft in
- [ ] North
- [x] South

of flag and
5 ft 0 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/17/89 Unit # 18 Transect # 99

FIRST VISIT

Species Pintail
Nest # 214
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
16 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 200ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx ~~Grass species~~
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 6/14/89

(check one)
- [ ] Hatch
  - 0 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes 6/14 no egg shell at all in vicinity - carried off - avian predator

Unit # 18
Transect # 99
Nest # 214 is located
25 ft in [x] North [x] South of flag and
5 ft 0 in [x] East [ ] West of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 5/17/89 Unit # 18 Transect # 93

FIRST VISIT


Species Mall
Nest # 213
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

1 # eggs
fresh Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla (Cattail)
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned still with 1 egg
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Notes 6/14 abandoned-no down 1 egg

Location Sketch

Unit # 18
Transect # 93
Nest # 213 is located
25 ft in
- [ ] North
- [x] South

of flag and
8 ft 0 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M Gilbert Date 5/17/89 Unit # 18 Transect # 91

FIRST VISIT

Species Mall.
Nest # 212
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
0 Inc. stage - laying
0 # parasitic eggs

Dist. to standing H_2O 16 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/14/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S


Notes 6/14 note - no down had been layed down at all eggs were on cattail mat and slightly covered with cattail reeds

Location Sketch

Unit # 18
Transect # 91
Nest # 212 is located
25 ft in
- [x] North
- [ ] South

of flag and
2 ft 6 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Selz Date 5/17/89 Unit # 18 Transect # 95

FIRST VISIT

Species Mal
Nest # 520
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

9 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☒	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☒	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____


SECOND VISIT-Fate

Date 6/14/89

(check one)
- ☑ Hatch
  - 9 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____




Notes



Unit # 18
Transect # 95
Nest # 520 is located
25 ft in ☑ North ☐ South
of flag and
4 ft 4 in ☐ East ☑ West
of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Date 5/17/89 Unit # 18 Transect # 27

FIRST VISIT

Species Mal
Nest # 522
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
20 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6,14,89

(check one)
- [x] Hatch
  - 6 # egg hatch
  - 3 # egg remain
  - Secondary predation
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___



Location Sketch



Notes Nest also flagged with ribbon on nest flag

Hatch then predation of unfertile eggs

Dep

Unit # 18
Transect # 97
Nest # 522 is located
5 ft in
- [ ] North
- [x] South

of flag and
1 ft 1 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
. Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rick Sela Date 5/17/89 Unit # 18 Transect # 97

FIRST VISIT

Species mal
Nest # 521
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date 6/14/89

(check one)
- [x] Hatch
  - 6 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes
Rick Sela

Unit # 18
Transect # 97
Nest # 521 is located
25ft in
- [ ] North
- [x] South

of flag and
1 ft 3 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Mark Sah Date 5/17/89 Unit # 18 Transect # 95

FIRST VISIT

Species Mal
Nest # 519
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
22 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 6/14/89


(check one)
- [x] Hatch
  - 9 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___



Notes Nest also flag with mirror and nest flag was #518

Location Sketch

Unit # 18
Transect # 95
Nest # 519 is located
25 ft — in [x] North [ ] South
of flag and
4 ft 4 in [ ] East [x] West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Sela Date 5/17/89 Unit # 18 Transect # 95

FIRST VISIT

Species Mal
Nest # 518
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

1 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 7/14/89

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned — Investigator notified
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes

5' 3" to center of nest
Nest in cattail/rush
Nest abandoned after
day found.

Unit # 18
Transect # 095
Nest # 518 is located
25 ft — in
- [ ] North
- [x] South

of flag and
8 ft 3 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 5/18/89 Unit # 18 Transect # 107

FIRST VISIT


Species C. Goose
Nest # 324
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

≥4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%



COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☒	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☒	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date / /

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Notes _____

Location Sketch

Unit # ___
Transect # ___
Nest # ___ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sol Date 6/14/89 Unit # 18 Transect # 95

FIRST VISIT

Species Gad
Nest # 915
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
8 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 7/18/89

(check one)
- [x] Hatch
  - all # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Nest 9

Location Sketch



Notes _____

Unit # 18
Transect # 95
Nest # 915 is located
25 ft ___ in
- [ ] ~~North~~
- [ ] South

of flag and
3 ft 11 in
- [ ] East
- [ ] West

of Transect line

Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 6/14/89 Unit # 18 Transect # 97

FIRST VISIT


Species BWT/CTeal
Nest # 914
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
6 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [x] Coyote
  - [ ] Unknown
  - [ ] Other ___




Notes ___

Location Sketch

Unit # 18
Transect # 97
Nest # 914 is located
25 ft in
- [x] North
- [ ] South

of flag and
2 ft 2 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sich Date 6/14/89 Unit # 18 Transect # 89

FIRST VISIT

Species ~~Unk~~ Gadwall
Nest # 915
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

8 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 10 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - all # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes _____

Location Sketch



Unit # 18
Transect # 89
Nest # 915 is located
25 ft ___ in
- [ ] North
- [x] South

of flag and
4 ft 3 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 6/14/89 Unit # 18 Transect # 103

FIRST VISIT

Species mal
Nest # 917
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

8 # eggs
__ Inc. stage
__ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☑ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☑ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ____

SECOND VISIT-Fate


Date 6/14/89

(check one)
- ☑ Hatch
  - 8 # egg hatch
  - 0 # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ____



Notes Found hatched
looked real fresh hatching
out 2000 by young brood
within 50 yds of nest
8 in Brood

Location Sketch



Unit # 18
Transect # 103
Nest # 917 is located
~~ft in~~ ☐ ~~North~~
☐ South
of flag and
2 ft 3 in ☑ East
☐ West
of Transect line

Compute Mayfield
__ Species AOU
__ # eggs hatched
__ # eggs remain
__ age when found
__ Initiation date
__ Est. hatch date
__ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rick Sik Date 6/14/89 Unit # 18 Transect # 89

FIRST VISIT


Species C Teal / Redhead
Nest # 914
Status (check one)
- ☐ Active
- ☐ Hatched
- ☑ Abandoned
- ☐ Destroyed

4 # eggs Teal
___ Inc. stage
4 # parasitic eggs Redhead

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☑ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/14/89


(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☑ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Notes
Abandoned by redhead parasitism

Location Sketch

Unit # 18
Transect # 89
Nest # 914 is located
ft in ☐ North ☐ South
of flag and
2 ft 0 in ☐ East ☑ West
of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ruth Sch Date 6/15/89 Unit # 18 Transect # 107

FIRST VISIT

Species Gad
Nest # 918
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

9 # eggs
4 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 5 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date 7/12/89

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___

N
W E
S

Location Sketch



Notes ___

Unit # 18
Transect # 107
Nest # 918 is located
25 ft in
- [ ] North
- [x] South

of flag and
2 ft 0 in
- [ ] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

Waterfowl Production Surveys

Units 19-24

FIELD FORM
Waterfowl Production Survey

Observer M Gilbert Date 5/16/89 Unit # 19 Transect # 17

FIRST VISIT


Species Pintail
Nest # 218
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

10 # eggs
2 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [x] C. 50-25%
- [ ] D. 25-0%



COVER TYPE
(circle dominant cover)


- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/15/89

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [x] Unknown
  - [ ] Other _____




Notes Found Hen & Eggs Beside Post

Location Sketch

Unit # 19
Transect # 17
Nest # 218 is located
25 ft in
- [x] North
- [x] South

of flag and
3 ft 7 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Deb Cole Date 5/19/89 Unit # 19 Transect # 13

FIRST VISIT


Species C. Goose
Nest # 528
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

5 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 5/29/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☑ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Notes could have been raven but ends all chewed and eggs in groups - most likely raccoon

Location Sketch



Unit # _____
Transect # _____
Nest # _____ is located
ft in ☐ North ☐ South
of flag and
ft in ☐ East ☐ West
of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ruth Sah Date 5/19/89 Unit # 19 Transect # 12

FIRST VISIT

Species C. canadensis
Nest # ~~522~~ 527
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

? # eggs
Inc. stage
parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE (circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date 5/19/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☑ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 5/19/89 Unit # 19 Transect # 13

FIRST VISIT

Species Shov
Nest # 529
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

9 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 15 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☑ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)

- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other ___

SECOND VISIT-Fate

MW
Date 6/15/89
(check one)

- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☒ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☒ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___



Notes ___

Location Sketch

Unit # 19
Transect # 13
Nest # 529 is located
16 ft in ☐ North ☑ South
of flag and
5 ft 7 in ☑ East ☐ West
of Transect line



no flag nest is just W. SE-center post

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rick Sik Date 5/19/89 Unit # 19 Transect # 15

FIRST VISIT


Species Shov
Nest # 530
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

10 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

MW
Date 6/15/89

(check one)
- [x] Hatch
  - 9 # egg hatch
  - ~1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes Found Membranes but it looks like Something Disturbed two eggs after Hatch

Location Sketch

Unit # 19
Transect # 15
Nest # 530 is located
25 ft ___ in
- [x] North
- [ ] South

of flag and
0 ft 10 in
- [x] East
- [ ] West

of Transect line



Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Wing Date 6/15/89 Unit # 19 Transect # 15

FIRST VISIT


Species ~~CO~~ Teal
Nest # 809
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☒ Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☒ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☒ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____


SECOND VISIT-Fate

Date 6/15/

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☑ Unknown
  - ☐ Other _____



Location Sketch



Notes
Did Not Flag

Unit # ____
Transect # ____
Nest # ____ is located
____ ft ____ in
- ☐ North
- ☐ South

of flag and
0 ft 0 in
- ☐ East
- ☐ West

of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron G. Date 5/16/89 Unit # 20 Transect # 25

FIRST VISIT


Species Pi
Nest # 3
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
4 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 125 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)


- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba (Baltic rush)
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/12/89

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Unit # 20
Transect # 25
Nest # 3 is located
25 [redacted] in
- [ ] North
- [x] South

of flag and
1 ft 3 in
- [x] East
- [ ] West

of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/16/89 Unit # 21 Transect # 43

FIRST VISIT


Species Rwt
Nest # 5
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
___ Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 2 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [x] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [x] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes _____


Unit # 21
Transect # 43
Nest # 5 is located
25 ft 0 in
- [ ] North
- [x] South

of flag and
0 ft 0 in
- [ ] East
- [ ] West

of Transect line

Location Sketch





Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Cowens Date 6/13/ Unit # 21 Transect # 43

FIRST VISIT


Species Unk? (Gad)
Nest # 607
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

13 # eggs
__ Inc. stage
__ # parasitic eggs

Dist. to standing H_2O 4/100ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0% (now)



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☑ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- ☑ Hatch
  - 3 # egg hatch
  - __ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S


Notes _____

Location Sketch

Unit # 21
Transect # 43
Nest # ____ is located
__ ft __ in
- ☐ North
- ☐ South

~~of flag and~~
6 ft 0 in
- ☑ East
- ☐ West

of Transect line



Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Ron Cavera Date 6/14/89 Unit # 21 Transect # 47

FIRST VISIT

Species Gad
Nest # 607
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
~~8~~ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 3/4 ~~ft~~ mi

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[x]	~~Sve~~	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 7/10/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [x] Abandoned Not I.R.
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes * There was no hen flush and eggs were cold, but they were covered good.
Abandonment or hen died while away from nest. Quest is July!

Location Sketch

Unit #21
Transect # 47
Nest # 607 is located
25 ft 0 in
- [x] North
- [ ] South

of flag and
7 ft 0 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/14/89 Unit # 22 Transect # 57

FIRST VISIT


Species Gadwall
Nest # 610
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
layings fresh Inc. stage
1 # parasitic eggs

Dist. to standing H_2O 300ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%




COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes 7-18-89 Nest have been pretty far along. There's alot of down at the nest.


Location Sketch

Unit # 22
Transect # 57
Nest # 610 is located
25ft 0 in
- [ ] North
- [x] South

of flag and
2ft 8 in
- [ ] East
- [x] West

of Transect line





Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/15/89 Unit # 23 Transect # 75

FIRST VISIT


Species Mallard
Nest # 713
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

1 # eggs
0 Inc. stage laying
0 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/10/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [x] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes _____

Unit # 23
Transect # 75
Nest # 713 is located
25 ft in
- [x] North
- [ ] South

of flag and
3 ft 8 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Sch Date 5/18/89 Unit # 24 Transect # 117

FIRST VISIT

Species Mall
Nest # 526
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [x] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [x] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___


SECOND VISIT-Fate

MW
Date 6/14/89

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [x] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [x] Coyote
  - [ ] Unknown
  - [ ] Other ___

N
W E
S

Location Sketch



6-14-89
Notes Hen is dead beside the Nest

Unit # 24
Transect # 117
Nest # 526 is located
25 ft in
- [ ] North
- [x] South

of flag and
7 ft 1 in
- [ ] East
- [x] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Winy Date 6/14/89 Unit # 24 Transect # 119

FIRST VISIT

Species Mall
Nest # 806
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
27 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 15 ft

Soil Surface (check one)
- [ ] Dry
- [X] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [X] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[X]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date 7/18/89

(check one)
- [ ] Hatch
  - 7 # egg hatch
  - 0 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

Notes
Nest located about 35' North of Mud-Flat


Unit # _____
Transect # _____
Nest # _____ is located
25 ft in
- [ ] North
- [X] South

of flag and
0 ft 8 in
- [ ] East
- [X] West

of Transect line

Location Sketch





Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM -
Waterfowl Production Survey

Observer Mark Wing Date 6/14/89 Unit # 24 Transect # 1/7

FIRST VISIT

Species Mall. ?
Nest # 807
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
Emb. Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 200ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 7/18/89

(check one)
- [x] Hatch
  - all # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # _____ is located
25 ft ___ in
- [x] North
- [ ] South

of flag and
5 ft 2 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___. Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Mark Umi Date 6/14/89 Unit # 24 Transect # 115

FIRST VISIT

Species ~~SSS~~ Mall
Nest # 808
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
21 Inc. stage
0 # parasitic eggs

Dist. to standing H_2O 200 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[x]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[x]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[ ]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____

SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - # egg hatch
  - # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes Under Greasewood Plant

Location Sketch

Unit # 808
Transect # _____
Nest # _____ is located
25 ft in
- [x] North
- [ ] South

of flag and
1 ft 10 in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

Waterfowl Production Surveys

Non-waterfowl nests units 1-21

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 6/12/89 Unit # 1 Transect # 63

FIRST VISIT


Species Fallowape
Nest # 455
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 6 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [x] B. 75-50%
- [ ] C. 50-25%
- [ ] D. 25-0%



COVER TYPE (circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in
- [ ] North
- [ ] South

of flag and
___ ft ___ in
- [ ] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 6/12/89 Unit # 1 Transect # 71

FIRST VISIT

Species Black Bird
Nest # ~~62~~ 451
Status (check one)
- ☐ Active
- ☒ Hatched
- ☐ Abandoned
- ☐ Destroyed

3 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☐ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☒ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____


SECOND VISIT-Fate

Date / /

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S

Location Sketch



Notes Nest hatched
3 young in nest
Not Flagged just recorded

Unit # ____
Transect # ____
Nest # ____ is located
____ ft ____ in
- ☐ North
- ☐ South

of flag and
____ ft ____ in
- ☐ East
- ☐ West

of Transect line

Compute Mayfield
- ___ Species AOU
- ___ # eggs hatched
- ___ # eggs remain
- ___ age when found
- ___ Initiation date
- ___ Est. hatch date
- ___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Todd T. Lovin Date 5/15/89 Unit # 6 Transect # 37

FIRST VISIT

Species Snipe
Nest # _____
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

5 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date / /

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes Nest 5' West of transect Line. Red Tape was put on Line

Location Sketch

Unit # 6
Transect # 37
Nest # ___ is located
___ ft ___ in
- [ ] North
- [ ] South

of flag and
5 ft ___ in
- [ ] East
- [x] West

of Transect line



Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer D. Gilbert Date 6/12/89 Unit # 7 Transect # 61

FIRST VISIT

Species Avocet
Nest # 456
Status (check one)
- ☐ Active
- ☒ Hatched
- ☐ Abandoned
- ☐ Destroyed

7 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O >200ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☒	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

100%

SECOND VISIT-Fate

Date / /


(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S

Notes Not Flagged

Unit # _____
Transect # _____
Nest # _____ is located
ft in ☐ North ☐ South
of flag and
ft in ☐ East ☐ West
of Transect line

Location Sketch



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer D Gilbert Date 6/12/89 Unit # 7 Transect # 69

FIRST VISIT


Species Black Bird
Nest # 452
Status (check one)
- [X] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
15 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [X] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [X] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [X] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other White top

SECOND VISIT-Fate

Date / /


(check one)
- [ ] Hatch
  - # egg hatch
  - # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other



Notes

Location Sketch

Unit #
Transect #
Nest # is located
25 ft ~~in~~ [ ] North
[ ] South
of flag and
ft in [ ] East
[ ] West
of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer M. Gilbert Date 6/12/89 Unit # 7 Transect # 57

FIRST VISIT

Species Owl
Nest # [redacted]
Status (check one)
- ☐ Active
- ☑ Hatched
- ☐ Abandoned
- ☐ Destroyed

___ # eggs 5 chicks
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ___ ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date / /

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____

N
W E
S

Notes 5 owl chicks - eyes closed - no down

Location Sketch

Unit # 7
Transect # 57
Nest # ___ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/16/89 Unit # 8 Transect # 73

FIRST VISIT


Species Snipe
Nest # _____
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

2 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 100 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate


Date 6/12/89

(check one)

- [ ] Hatch
  - 2 # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes _____

Unit # 8
Transect # 73
Nest # ___ is located
25 ft in
- [ ] North
- [ ] South

of flag and
1 ft 2 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Rich Sehn Date 5/17/89 Unit # 9 Transect # 85

FIRST VISIT

Species W. / Snipe
Nest # ____
Status (check one)
- ☑ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

1 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- ☐ Dry
- ☐ Moist
- ☑ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☐	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☑	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____


SECOND VISIT-Fate

Date / /

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes _____

Unit # ____
Transect # ____
Nest # ____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sch Date 5/17/89 Unit # 9 Transect # 89

FIRST VISIT

Species Marsh Hawk
Nest # ____
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

3 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [x] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [x] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ____

SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ____



Location Sketch



Notes ____

Unit # ____
Transect # ____
Nest # ____ is located
___ ft ___ in
- [ ] North
- [ ] South

of flag and
___ ft ___ in
- [ ] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Rich Sh Date 5/17/89 Unit # 2 Transect # 89

FIRST VISIT

Species Wil Snip
Nest # —
Status (check one)
- ☑ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

1 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 5 ft

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE
(circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☒	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☐	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date / /

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other _____



Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in ☐ North ☐ South of flag and
___ ft ___ in ☐ East ☐ West of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Todd J. Lovin Date 5/18/89 Unit # 11 Transect # 133

FIRST VISIT


Species Phalarope
Nest # [redacted]
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☐ Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 50 ft

Soil Surface (check one)
- ☐ Dry
- ☒ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☒ C. 50-25% ☐ D. 25-0%



COVER TYPE
(circle dominant cover)
- ☐ Sx Willow
- ☐ Sve Greasewood
- ☐ Crx Rabbit brush
- ☒ Dst Salt grass
- ☐ Gx Grass species
- ☐ MoF Sweetclover
- ☐ Wx Weed species
- ☐ Jba Baltic rush
- ☐ Cx Sedge
- ☐ Ex Spikerush
- ☐ Tla Cattail
- ☐ Sva Bullrush
- ☐ Other _____

SECOND VISIT-Fate

Date / /

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☐ Destroyed
  - ☐ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ____

N
W E
S

Location Sketch



Notes Marked with Red Tape

Unit # ___
Transect # 133
Nest # ___ is located
ft in
- ☐ North
- ☐ South

of flag and
2 ft 3 in
- ☐ East
- ☒ West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 6/12/89 Unit # 14 Transect # 29

FIRST VISIT

Species Snipe
Nest # 601
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 200ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date / /

(check one)


- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Notes _____

Location Sketch

Unit # 14
Transect # 29
Nest # 601 is located
~~ft~~ ~~in~~ [ ] North
[ ] South
of flag and
4 ft 6 in [x] East
[ ] West
of Transect line



Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 5/16/89 Unit # 15 Transect # 51

FIRST VISIT

Species Avoset
Nest # 7
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

2 # eggs
- Inc. stage
6 # parasitic eggs

Dist. to standing H_2O 6 ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [x] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - # egg hatch
  - # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes _____

Location Sketch

Unit # 15
Transect # 51
Nest # 7 is located
25 ft in
- [ ] North
- [x] South

of flag and
0 ft 0 in
- [ ] East
- [ ] West

of Transect line



Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	.	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Garcia Date 5/18/89 Unit # 16 Transect # 69

FIRST VISIT


Species Coot
Nest # 10
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

6 # eggs
8 Inc. stage
— # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE (circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [x] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date 6/15/89

(check one)
- [x] Hatch
  - all # egg hatch
  - — # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes

Nest line up to the South and not with the North marker on transect 69

Unit # 16
Transect # 69
Nest # 10 is located
12 ft — in
- [ ] North
- [x] South

of flag and
6 ft 4 in
- [x] East
- [ ] West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Savage Date 6/14/89 Unit # 16 Transect # 59

FIRST VISIT

Species Avocet
Nest # —
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 7 ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [x] Other Bare ground

SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ____




Notes

Unit # 16
Transect # 69
Nest # — is located
ft - in
- [ ] North
- [ ] South

of flag and
3 ft 8 in
- [ ] East
- [x] West

of Transect line

Location Sketch



Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found

___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 6/14/89 Unit # 18 Transect # 105

FIRST VISIT

Species Coot
Nest # 919
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

7 # eggs
10 Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [x] Sva Bullrush
- [ ] Other _____


SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # 18
Transect # 105
Nest # 919 is located
1 ft 0 in
- [ ] North
- [ ] South

of flag and
- [x] East
- [ ] West

of Transect line

Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer [redacted] Date 5/19/84 Unit # 19 Transect # 13

FIRST VISIT

Species Sniper
Nest # _____
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____

N
W E
S

Location Sketch



Notes _____

Unit # _____
Transect # _____
Nest # _____ is located
___ ft ___ in
- [ ] North
- [ ] South

of flag and
___ ft ___ in
- [ ] East
- [ ] West

of Transect line

No flag

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer [illegible] Date 5/19/89 Unit # 19 Transect # 15

FIRST VISIT


Species Lout
Nest # 531
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
— Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
- [ ] A. 100-75%
- [ ] B. 75-50%
- [ ] C. 50-25%
- [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other ___

SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other ___



Notes ___


Location Sketch

Unit # 19
Transect # 15
Nest # 531 is located
25 ft in
- [ ] North
- [x] South

of flag and
0 ft 0 in
- [ ] East
- [ ] West

of Transect line

just on south edge of 2nd irrigated North



Compute Mayfield

___ Species AOU	___ Initiation date
___ # eggs hatched	___ Est. hatch date
___ # eggs remain	___ Exposure days
___ age when found	

2. 2nd Visit

FIELD FORM
Waterfowl Production Survey

Observer Jody Smith Date 05/15/89 Unit # 20 Transect # 29

FIRST VISIT

Species Avocet
Nest # 101
Status (check one)
- [x] Active (3)
- [ ] Hatched
- [ ] Abandoned
- [x] Destroyed (1)

4 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O 30ft

Soil Surface (check one)
- [ ] Dry
- [x] Moist
- [ ] Flooded

Aerial Cover (check one)
[x] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [x] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [ ] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date / /

(check one)

- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes eggs olive green dark spots on ~~rear~~ end
~~seen~~ end
I very recently predated by raven or magpie

Unit # 20
Transect # 29
Nest # 101 is located
___ ft ___ in
- [ ] North
- [ ] South

of flag and
___ ft ___ in
- [ ] East
- [ ] West

of Transect line

Compute Mayfield

___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer Jody Smith Date 5/16/89 Unit # 20 Transect # 21

FIRST VISIT

Species Snipe
Nest # 102
Status (check one)
- ☐ Active
- ☐ Hatched
- ☐ Abandoned
- ☑ Destroyed

3 # eggs
___ Inc. stage
___ # parasitic eggs

Dist. to standing H_2O ___ ft Cannot see any

Soil Surface (check one)
- ☐ Dry
- ☑ Moist
- ☐ Flooded

Aerial Cover (check one)
☐ A. 100-75% ☐ B. 75-50% ☐ C. 50-25% ☑ D. 25-0%






COVER TYPE (circle dominant cover)

☐	Sx	Willow
☐	Sve	Greasewood
☐	Crx	Rabbit brush
☐	Dst	Salt grass
☑	Gx	Grass species
☐	MoF	Sweetclover
☐	Wx	Weed species
☐	Jba	Baltic rush
☐	Cx	Sedge
☐	Ex	Spikerush
☐	Tla	Cattail
☐	Sva	Bullrush
☐	Other	_____

SECOND VISIT-Fate

Date 5/16/89

(check one)
- ☐ Hatch
  - ___ # egg hatch
  - ___ # egg remain
- ☐ Abandoned
- ☐ Flooded
- ☑ Destroyed
  - ☑ Raven/magpie
  - ☐ Skunk
  - ☐ Raccoon
  - ☐ Coyote
  - ☐ Unknown
  - ☐ Other ___

N
W E
S

Location Sketch



Notes Aweet? maybe too small - tawd black specklid snipe?

Unit # 20
Transect # 21
Nest # ___ is located
___ ft ___ in
- ☐ North
- ☐ South

of flag and
~~W~~ ft ~~6~~ in
- ☑ East
- ☐ West

of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

FIELD FORM
Waterfowl Production Survey

Observer Ron Gracia Date 5/16/89 Unit # 21 Transect # 41

FIRST VISIT

Species Snipe
Nest # 4
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
– Inc. stage
6 # parasitic eggs

Dist. to standing H_2O 0 ft

Soil Surface (check one)
- [ ] Dry
- [ ] Moist
- [x] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [ ] B. 75-50% [ ] C. 50-25% [x] D. 25-0%



COVER TYPE
(circle dominant cover)
- [ ] Sx Willow
- [ ] Sve Greasewood
- [ ] Crx Rabbit brush
- [ ] Dst Salt grass
- [ ] Gx Grass species
- [ ] MoF Sweetclover
- [ ] Wx Weed species
- [x] Jba Baltic rush
- [ ] Cx Sedge
- [ ] Ex Spikerush
- [ ] Tla Cattail
- [ ] Sva Bullrush
- [ ] Other _____

SECOND VISIT-Fate

Date 6/13/89

(check one)
- [x] Hatch
  - 3 # egg hatch
  - 1 # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____




Notes
Canal is about 15 yds south of Nest

Location Sketch

Unit # 21
Transect # 41
Nest # 4 is located
25 ft in
- [ ] North
- [x] South

of flag and
0 ft 0 in
- [ ] East
- [ ] West

of Transect line



Compute Mayfield
___ Species AOU
___ # eggs hatched
___ # eggs remain
___ age when found
___ Initiation date
___ Est. hatch date
___ Exposure days

FIELD FORM
Waterfowl Production Survey

Observer R. Garcia Date 6/13/89 Unit # 21 Transect # 43

FIRST VISIT

Species Phalarope
Nest # —
Status (check one)
- [x] Active
- [ ] Hatched
- [ ] Abandoned
- [ ] Destroyed

4 # eggs
— Inc. stage
— # parasitic eggs

Dist. to standing H_2O 300ft

Soil Surface (check one)
- [x] Dry
- [ ] Moist
- [ ] Flooded

Aerial Cover (check one)
[ ] A. 100-75% [x] B. 75-50% [x] C. 50-25% [ ] D. 25-0%






COVER TYPE
(circle dominant cover)

[ ]	Sx	Willow
[ ]	Sve	Greasewood
[ ]	Crx	Rabbit brush
[ ]	Dst	Salt grass
[ ]	Gx	Grass species
[ ]	MoF	Sweetclover
[ ]	Wx	Weed species
[x]	Jba	Baltic rush
[ ]	Cx	Sedge
[ ]	Ex	Spikerush
[ ]	Tla	Cattail
[ ]	Sva	Bullrush
[ ]	Other	_____


SECOND VISIT-Fate

Date / /

(check one)
- [ ] Hatch
  - ___ # egg hatch
  - ___ # egg remain
- [ ] Abandoned
- [ ] Flooded
- [ ] Destroyed
  - [ ] Raven/magpie
  - [ ] Skunk
  - [ ] Raccoon
  - [ ] Coyote
  - [ ] Unknown
  - [ ] Other _____



Location Sketch



Notes _____

Unit # 21
Transect # 43
Nest # — is located
~~ft in~~ [ ] North
[x] South
of flag and
2 ft 6 in [x] East
[ ] West
of Transect line

Compute Mayfield

___	Species AOU	___	Initiation date
___	# eggs hatched	___	Est. hatch date
___	# eggs remain	___	Exposure days
___	age when found		

Field Notes

Fall 89

9/15	7 Sandhill cranes - Hillpop Meadow Ala			MN
9/18	150 Sandhill cranes - Below Hansen Bluff			MN
9/20	1 Whooper - Getz Nof Unit 1 - MN			TW
9/25	1 whooper Yellow left / white Right	Melvin Getz		RS
9/25	1 whooper white each leg	Melvin Getz		RS
10/5	1 Whooper in Marsh so. of Taylor Grass on Alamosa			MN
10/13	1 whooper	2 yellow bands R+L	15 S + 10 mi S	RS
10/13	1 whooper	1 yellow band Right	1 S + County line	RS
10/21	1 whooper	yellow band right.	Unit 19	RS
10/21	5 whoopers	no bands observed	2 mi N of refuge on Switch Road	RS
11/1	2 whoopers	100 + Switch Rd	1 whooper = white/right, yellow/left	RuS
11/1			No bands observed on other bird	RuS
11/12	1 bald Eagle ad.	Unit 14	MNWR	RuS

Spring 89

Feb. 3	8 sandhill cranes Alamosa NWR		SB
2/21	620 S.H. cranes - All so. of Hwy 160		
2/24	1 whooper - East of MV Shop (yellow band on right leg)		FD
2/27	2 whoopers +600 SH 102+25		MM
2/27	1 whooper + 500 SH behind Shop MV NWR		MM
2/27	1 whooper + 200 SH Sanger (Small no bands)		MM
2/27	1 whooper 2 white bands (1 on leg) Rogers tracks off 160		Donna Kingery
3/2	1 whooper - reported by public 1S + 2W of Monte		RS
3/4 7:40 - 8:50	1 whooper Green band Left foot Unit 20 grain field MV.		RS
3/4 8:34 - 8:44	1 whooper Yellow left/Green right Unit 22 grain field MV both birds feeding at times only 5 yds apart no interaction was observed		RS
" "	1 whooper brown radio left/Red right		
	Above two bird believed to be roosting in Unit 16		RS
3/4 16:06	1 whooper yellow w/markings on left/white(?) band right ≅ 1 mi west of Gumbarrel on Forest Rd		RS
3/14 16:25	2 whoopers across from Shop MV no bands observed		RS
3/ 9:30	2 whoopers across from Shop MV no bands observed		RS
3/24	2 Coots MV.		RS
3/23	Morning Dove MV.		RS
3/24	Frogs singing MV.		RS
3/23	Cranes leaving north MV.		RS
4/10	Neil Ward Hotchkiss NFH 1 whooper with flock of S.H. CRANES FLEW OVER AT 2:30 PM		MM
4/20	Approx. 300 ducks feeding on Alamosa grain Field early in AM.		MM

Wildlife & Phenology Observations

89

Date	No.	Species	Location	Initial
4/12	2	Black-crowned night Heron	Alamosa	MK
4/15/89	numerous	Avocet	Road NWR	RS
4/15/89	numerous	White-faced Glossy Ibis	Road NWR	RS
4/19/89	3	white Pelicans	MV	RS
4/12	50	white Pelicans	MV	RS
4/10	numerous	2 W Black = Gulls on	Levee to MV	RS
4/18	numerous	Common Snipe Wilsons (Continue flight)	MV	RS
4/14	1	Prairie Falcon	MV	RS
4/17	15	White faced Glossy Ibis	Alamosa NWR	SB
4/17	1	Can Goose incubating	Unit 14 MV	RS
4/24	1	Can Goose Goslings	Unit 19 MV	RS
4/24	1	Mall Nest 2 eggs	MV	RS
4/24	10	Goose Nests	on Islands Unit 16	RS
4/27	1	Snow Geese	Lillpop Unit	SB
4/28	1	Peregrin Falcon	Unit 19 MV	RS
4/28	2	Brown Hoods	MV	RS
4/28	1	Little Blue Heron	Unit 16	RS
5/1	1	Peregrin Falcon	Alamosa NWR Lillpop Unit	SB
5/1	1	Goose brood (2)	Unit 17 MV	RS
5/1	1	Peregrin Falcon	Unit 9 MV	RS
5/1	4	Ravens	MV	RS
5/2	1	Peregrin Falcon	MV Unit 17	RS
5/2	1	Goose brood (5)	Unit 1 MV	RS
5/2	2(pair?)	Little blue Heron	Unit 16 MV	RS
5/2	1	Mallard eggs predated by ravens	Unit 7	RS
5/2	Numerous	Mallard Hens and Ducks	MV	RS
5/2	Flocks 2/each	white white Falcon	MV	RS
5/2	13	Goose nests on nest boxes islands Ute		RS
5/9	2	Goose broods (4) (5)	MV	RS
5/9	1	Goose brood (4)	MV	RS
5/9	3	Goose broods (1) (2) (3)		
5/12	2	White Front Geese	Alamosa N of office	SB
5/31	When	Largest concentration Geese	must be [illegible] (Top 3)	
		when road from Antelope	to Grace Lake is open for travel	RS
Early May	When Geese	Rock Chuck on levee	When are few of about then	RS
	to	Hare Region is open?		RS
6/5	1	Flycatcher (Teal)	nest	RS
6/1	1	Prairie Falcon	Taylor Barn - Alamosa	RS
6/5	1	Snow Goose	S. Alamosa NWR	SB
6/9	1	Peregrine Falcon	MV Unit 15	RS
6/25	1	" "	MV Unit 1	RS
6/17	When the eagle	starts to Cross its shape x/h	big fish on hitting at Bear Lake	RS
	Sandhill Crane	snowfield	Lake at recreational open	
6/29	90	Yellowlegs	Alamosa NWR	RS
7/3	1	Peregrin	Unit 16 Monte	RS
7/11	3	Cow Elk	Unit 14 MV	RS
7/8	1	Canada Goose	Alamosa Golf Course	



Wildlife & Phenology Observations

(89)

Date	No.	Species	Location	Initia
8/30/89	2	Sand Hill Crane	2 mile so. Monte over Hwy 15	Floyd
9/5/89	8	cranes	over M.V. Hdqtrs.	JR.
9/6/89	13	Sand Hill Crane	unit 19	Lloyd
9/6/89	1	White Leghorn Rooster	UNIT 17 AT PARK AREA #4	JR.
9/7/89	1	Dominecker Rooster	UNIT 17 AT PARK AREA #4 (dead)	JR
9-20-89	1	Whooping Cr.	North of Unit 1	TW
9/20/89	1	Coyote	UNIT #20	JR
9/21/89	1	whooping crane	Rod Sawyer Farm	JR
9/24/81	1	Whooping Crane	Jim Wiseman Farm 8 mile 4 so	Floyd
9/26/89	18	Pelicans	Parker pond	Bill
10/5/89	100	Lesser Canada Goose	Unit 17	Floyd
10-11-89	1	Coyote	UNIT 19	Frank
11-1-89	1	Immature Bald	Unit 9.	Rick
11-13-89	1	Bald Eagle	Unit 19	Tom
	1	Bald Eagle	Unit 24	JR
	3	Snow Geese		
11-15-89	1	Coyote	UNIT 19 (S.E. CORNER)	JR
" 21	1	Fawn Deer	Road Kill 200 yds N of Shop	TW
Oct 28	1	Immature Bald Eagle not found dead	N of Shop	Frank
Nov 25	1	Calf Elk Hit On Hwy 15	N of Shop	Rick
NOV. 29	50	Sandhill Cranes	OVER UNIT #24	JR
Dec. 1	5	Eagles	UNIT #16 AND 24	JR
Dec. 5.	1	Bald Eagle	Unit 16	Bill
Dec. 11	1	Deer (Road Kill)	just south of shop	JR
Dec. 19	1	Coyote	UNIT 22 Fallow Field	JR
Dec 20	1	Bald Eagle	UNIT 19 S Side	JR

Wildlife & Phenology Observations

89

Date	No.	Species	Location	Initial
11/11-13	~ 30	Elk No real bulls	Unit 19 MV	RS/SB
11/12		Hard Freeze 80% ice on	pond surfaces	RS
Nov 1-16	Mild with	below temps and	low temps	RS
Nov 10	10	Tan. Geese	Alamosa	RS
Nov 27	10	Bald Eagles	Research + Unit 19 Ponds	MH
Nov. 24	1	Whooping crane	Unit 24 — Monte Vista	MH
Nov 19	80	EIK	Unit 13 & 19 MV	SB
12/5	Numerous	Meadow larks	MV	RS
12/19	600	Snow Geese	SE of 24 MV	RS
12/30	3 swans	Trumpeter MV.	Alamosa	RS
1-2/17	1 Raven	Cranes	Unit 24 & vicinity of Monte	RS
1/25/89	1	Goshawk - dead stick	Unit 19 MV	MH
1/25/89	1	Harrier		RS
1/28/89	1	Raven	Rolling Savings	RS
2/30/89	8	Sandhill Cranes	Alamosa	SB
2/6/89	1	Coyote roadkill	Hwy 15	RS
2/1/89	50	Elk Unit 15	MV	RS
2/2/89		6 inches of snow	MV	RS
2/4/89	500	Lesser Canada Geese	Miranda	RS
2/5 → 2/6	Strong	South winds 20-40°	Wing cold North - 20°F Denver etc	RS
1/31/89	Raptor	Swainson's Hawk	Hwy 15	RS
2/6/89	1	Canada Goose (dead)	Hwy 15 Monte Vista	RS
2/8/89	181	EIK E.	E. of Gunbarrel	SB
2/8/89	3	Sandhill Crane	Unit 22 MV	RS
2/1/89	95	Sandhill	East of MV Refuge along Hwy 160	RS
2/14/89	150	Sandhill	Rainford NWR	RS
2/15	2	Gadwall		
2/15	4	Widgeon		
2/15	50	GW Teal	Mumm Well	SB
2/15	2	Cin Teal		
2/21	50+	Pintail	Mumm Well	SB
2/21	200+	Common Tern	Unit 1 MV NWR	RS
2/21	300	Sandhill Cranes	Unit 3 MV NWR	RS
2/21	More Pintail & Population		all MV	RS
2/20	Full Moon			RS
2/19	Co-Killed	Elk	Gunbarrel just S of Shop MV	RS
2/1/89	5	Coots	Mumm Well	SB
2/25	1	EIK Caught in fence had to	be shot by Frank	SB
3/1	10	Bald Eagles	Alamosa NWR (closed basin channel)	SB
2/25	Numbers down	Bald Eagles moving off of	Monte Vista	RS
2/28	4	Whoopers	MV NWR	RS
3/2	1	Whooper	Unit 5 2 West of Mad Unit	RS
2/1-28	Large influx	of ducks for Feb, 60 Total Cin Teal one day		RS
3/1	10	Coots	Unit 15 MV NWR	RS
2/27	5000	S. Crane	MV NWR area	RS
3/8	50-60	Bald Eagles	Alamosa NWR	SB
4/5	27	Mule Deer	Alamosa NWR grain fields	SB

Map: Duck Nests

KEY

● = nest

X = destroyed or deserted nest

● = missing posts


= transects not walked (farm fields, etc.)

○ = predator scrape

= eggshell colony

= deer

N



LOCATION MAP
NOT TO SCALE

UNIT 1 UNIT 2 UNIT 3 UNIT 4 UNIT 5
UNIT 6 UNIT 7 UNIT 8 UNIT 9 UNIT 10 UNIT 11
UNIT 12 HEADQUARTERS UNIT 14 UNIT 15 UNIT 16 UNIT 17 UNIT 18 UNIT 24
UNIT 13 Well No. 1
UNIT 19 Well No. 2 UNIT 20 UNIT 21 UNIT 22 UNIT 23

T38N
T38N

R7E R8E R9E

1500 0 1500 3000 4500
SCALE IN FEET

Total
8478946 Ft
166.46 mi
332.9 ac.

REVISIONS	4-25	RJS
	DATE	DRAWN

UNITED STATES DEPARTMENT OF THE INTERIOR
FISH AND WILDLIFE SERVICE
ENGINEERING

SUBMITTED
REGIONAL ENGINEER
REVIEWED
RECOMMENDED
REGIONAL DIRECTOR
W.O. APPROVAL DATE

MONTE VISTA
NATIONAL WILDLIFE REFUGE
RIO GRANDE AND ALAMOSA COUNTIES, COLORADO

DESIGNED G.D.A. DRAWN V.F.F. DATE 9-76 CHECKED
DENVER COLORADO DRAWING NO.

SHEET ___ OF ___